

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


recognize character node connectivity

Search

Advanced Search

[Web](#) [Show options...](#)

Results 1 - 10 of about 476,00

### [A Character-net Based Chinese Text Segmentation Method](#)

by L Zhou - 2002 - Cited by 1 - [Related articles](#)

**recognize** all possible candidates of segmentation ... A Chinese **character** is considered as a **node**, a **connection** between **characters** considered as an ...  
portal.acm.org/ft\_gateway.cfm?id=1118752&type=pdf

### [Character-Net: Character Network Analysis from Video Character-Net ...](#)

by SB Park - [Related articles](#)

**recognize** the major **character** if she/he has greater **connectivity** to others and has a high ... **node** in the **Character-Net**. The major **character** can be ...  
doi.ieeecomputersociety.org/10.1109/WI-IAT.2009.54

### [Introduction to Devices and Device nodes](#)

Software **connectivity**. A device driver is required as the first step in connecting with a new ... **Character** devices are read from and written to with the functions: ... In order for the operating system to **recognize** the hardware device, ...  
www.bga.org/~lessem/psyc5112/usall/peripherals/devices/ - [Cached](#)

### [Representing word context effect in Chinese character perception ...](#)

by KW Gan - 1991 - Cited by 1 - [Related articles](#) - All 3 versions

**recognize** Chinese **characters** and we are able to achieve ..... there is a **connection** between the output line of a **character node** and the input line of a word ...  
www.springerlink.com/index/GR6X247834757B66.pdf

### [Radical-Based HMM Modeling for Handwritten East Asian Characters ...](#)

Hence, visible lines of a **character** can be represented by radical **nodes** and the ..... HMM that includes radical **nodes** and **connection nodes**, splitting **character** ink .... state sequences to fit to HMM approach to **recognize** EA **characters** ...  
www.fqs.org/patents/app/20080219556 - [Cached](#)

### [CSM for AIX 5L and Linux V1.5 Administration Guide - Hardware control](#)

This allows the software to **recognize node** additions and removals in the cluster so ... SysRq commands are generally single-**character** commands that direct [the kernel] ....  
Table 12. SP **Node** and p660 server ipower **connection** diagnostics ...  
publib.boulder.ibm.com/infocenter/.../am7ad12008.html - [Cached](#) - [Similar](#)

### [Rotation-invariant Recognition Of Character Strings For Korean ...](#)

by PK Phoo - 1995 - Cited by 3 - [Related articles](#) - All 5 versions

In addition, it extracts feature **nodes** and **connection** information between them during the scan. The ... **recognize** a rotated **character** string properly. For ...  
ieeexplore.ieee.org/iel3/4755/13256/00602057.pdf?arnumber=602057

### [Graph matching using a direct classification of node attendance\\*1 ...](#)

by F Ogilvie - 1996 - Cited by 34 - [Related articles](#) - All 10 versions

A **connectivity** signature has also been defined for a single **node** ..... dual histograms is not always a certain indication of DCA's ability to **recognize** objects. .... signature attains a sufficient **character** to help distinguish **nodes** ...  
linkinghub.elsevier.com/retrieve/pii/S0031320395001409

[PDF] Graph Matching Using a Direct Classification of **Node** Attendance 1 ...

File Format: PDF/Adobe Acrobat - View as HTML

by F. DePiero - Cited by 34 - Related articles - All 10 versions

**local character** of each **node**. The simulation tool developed to test DCA serves as a ....  
**node connectivity**. This is an incremental process that improves the estimate ..... is not  
always a certain indication of DCA's ability to **recognize** ...  
[citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.57.5904&rep...](http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.57.5904&rep...)

Windows System Error Codes (exit codes)

22 The device does not **recognize** the command. 23 Data error (cyclic redundancy check) ..... 1225 The remote system refused the network **connection**. 1226 The network **connection** was ..... 5005 A cluster **node** is not available for this operation. .... 14033 Manifest Parse Error : A name contained an invalid **character**. ...  
[www.hiteksoftware.com/knowledge/articles/049.htm](http://www.hiteksoftware.com/knowledge/articles/049.htm) - Cached - Similar

1 2 3 4 5 6 7 8 9 10 Next

---

recognize character node connectivity

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us im](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Private](#)